

Table 1: Carrot Osmosis: Individual Results and Average Results

Group	0.0 % NaCl			1.0 % NaCl			2.5% NaCl			5.0% NaCl			10.0% NaCl		
	Initial (g)	Final (g)	% Change	Initial (g)	Final (g)	% Change	Initial (g)	Final (g)	% Change	Initial (g)	Final (g)	% Change	Initial (g)	Final (g)	% Change
1	1.84	1.85		1.33	1.33		1.63	1.52		2.21	1.96		2.10	1.81	
2	1.62	1.66		1.72	1.72		1.74	1.65		2.68	2.35		2.23	1.89	
3	2.49	2.53		1.85	1.86		2.32	1.50		1.99	1.68		2.93	2.57	
4	2.09	2.13		2.10	2.10		2.42	2.27		3.21	2.83		2.78	2.38	
5	1.84	1.86		2.10	2.08		1.98	1.79		1.89	1.63		1.96	1.65	
6	1.62	1.64		1.45	1.43		2.76	2.07		1.66	1.43		2.95	2.55	
7	2.01	2.03		2.22	2.19		1.38	1.26		2.15	1.84		2.47	2.14	
Totals															
To Calculate % Change $\frac{\text{Final Mass} - \text{Initial Mass}}{\text{Initial Mass}} \times 100$									To determine average, divide the totals by 7!						
Average															

